ACTIV ANKLE

KIT CONTENT - 2nd LEVEL

1. LATERAL STANDARD PLATES	
Ref	Description
RTGLS1	Lateral plate - Standard - Left - S1 - 75 mm
RTDLS1	Lateral plate - Standard - Right - S1 - 75 mm
RTGLS2	Lateral plate - Standard - Left - S2 - 97 mm
RTDLS2	Lateral plate - Standard - Right - S2 - 97 mm
RTGLS3	Lateral plate - Standard - Left - S3 - 128 mm
RTDLS3	Lateral plate - Standard - Right - S3 - 128 mm
RTGLS4	Lateral plate - Standard - Left - S4 - 158 mm
RTDLS4	Lateral plate - Standard - Right - S4 - 158 mm
RTGLS5	Lateral plate - Standard - Left - S5 - 187 mm
RTDLS5	Lateral plate - Standard - Right - S5 - 187 mm
2. LATERAL NARROW PLATES	
RTSLN1	Lateral plate - S1 - Narrow - 76 mm
RTSLN2	Lateral plate - S2 - Narrow - 102 mm
3. DIAPHYSEAL PLATE	
FTS1	Diaphyseal plate - S1 - 65 mm
4. POSTERO-LATERAL PLATE	
RTGQ1	Postero-lateral plate - left - S1 - 73 mm
RTDQ1	Postero-lateral plate - right - S1 - 73 mm



ANC252
Fast drilling guide for RTGLSx plates

ANC454
Fast drilling guide for RTGQx plates

Ø3.5 mm CORTICAL SCREWS
CT3.5Lxx
L40 to L70 mm

ANC261M - Ø2.7 mm quick coupling guide gauge for Ø3.5 - 4.0 mm non locking long screws

ANC256M - Ø2.7 mm quick coupling drill bit - L 180 mm

Ø4.0mm LAG SCREWS
QT4.0Lxx
L40 to L70 mm

ANC253
Fast drilling guide for RTDLSx plates

ANC456
Fast drilling guide for RTSLNx plates

ANC455
Fast drilling guide for RTDQx plates

ACTIV ANKLE

KIT CONTENT - 1st LEVEL

IINSTRUMENTS TRAY



ANC350 - Ø4.5 mm AO quick coupling handle - Size 1 x2

33.0214.120 - Pin Ø1.4 L120 mm x6

ANC089C - Ø2.7 mm quick coupling drill bit L 125 mm x2

ANC083C - 2 in 1 : 2.5 mm hexagonal prehensor screwdriver - Ø3.5 mm reamer x2

ANC107 - 2.5 mm quick coupling hexagonal non prehensor screwdriver

ANC463 - Ø3.5 mm quick coupling reamer

ANC186 - Ø2.7 mm quick coupling guide gauge for Ø3.5 mm locking screws x2

ANC124 - Length gauge for Ø3.5 mm cortical screw

ANC102 - Length gauge for Ø2.8 mm screws

ANC088C - Ø2.0 mm quick coupling drill bit - L 125 mm x2

ANC082E - 2.0 mm quick coupling hexagonal prehensor screwdriver

ANC084 - Ø2.7 mm quick coupling reamer

ANC46C - Ø2.0 mm guide gauge

ANC268C - Ø2.0 mm guide gauge for locking screws x2

ANC191
Ø2.7 mm quick coupling guide gauge for Ø3.5 mm non locking screws

ANC103
2.0 mm hexagonal non prehensor screwdriver

SCREWS RACK



Ø3.5 mm
LOCKING SCREWS
SOT3.5Lxx
L10 à L24 mm

Ø3.5 mm
CORTICALE SCREWS
CT3.5Lxx
L10 to L24 mm

Ø3.5 mm
NON LOCKING SCREWS
QOT3.5Lxx
L10 to L24 mm

Ø2.8 mm
LOCKING SCREWS
SDT2.8Lxx
L10 to L24 mm

Ø2.8 mm
NON LOCKING SCREWS
QDT2.8Lxx
L10 to L24 mm

INNOVATION MEANS MOTION

NEWCLIP-TECHNICS

ACTIV ANKLE

KIT CONTENT - BASE

30920
Prehensive plier for washer

ANC503
Reduction forceps 150 mm



ANC349
Verbrugge forceps - 15 cm x2

ANC504
Reduction forceps 150 mm - pointed

ANC542
Ø3.5 mm quick coupling drill bit - L 125 mm

WASH-T4
Washer for CT3.5Lxx and QT4.0Lxx screws x10

ANC452
Bending iron x2

INNOVATION MEANS MOTION

NEWCLIP TECHNICS
PA de la Lande Saint Martin - 45 rue des Garottières
44115 Haute Goulaine (France)
Tél. : +33 (0)2 28 21 37 12 - Fax : +33 (0)2 40 63 68 37
orders@newcliptechnics.com - www.newcliptechnics.com

CPK EN - Activ Ankle - Ed2. - 06/2020 - Medical device EC: class IIb - US Class: II - CE 1639 SGS BE - Read labeling and instructions before use.