

Initial R Xpert™ 2.4: Single use distal radius sterile kits

Initial R™ Xpert 2.4 - kits content

Example : KIT-XS3D




Intended purpose:

The implants of the Initial R™ Xpert Wrist range are intended for fixation of hand and forearm fractures, osteotomies and arthrodeses in adults.

Contraindications:

- Pregnancy.
- Acute or chronic local and systemic infections.
- Allergy to one of the materials used or sensitivity to foreign bodies.



NEWCLIP-TECHNICS



Initial R Xpert™ 2.4 - Kit references



Distal radius plates - Narrow -
Extra short - Size 1
Left and Right

DTGVNS1 DTDVNS1

KIT-XNS1G or KIT-XNS1D* Distal radius kit - Narrow - Extra short - Size 1 - Left		
Ref.	Description	Qty
DTxVNS1	Distal radius plate - Narrow - Extra short - Size 1 - Left or right	1
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	2
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	2
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1
CT2.4L16	Ø2.4 mm non-locking screw - L16 mm	1



Distal radius plates - Narrow -
Size 1
Left and Right

DTGVN1 DTDVN1

KIT-XN1G or KIT-XN1D* Distal radius kit - Narrow - Size 1 - Left or Right		
Ref.	Description	Qty
DTxVN1	Distal radius plate - Narrow - Size 1 - Left or right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	2
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	2
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	2
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1
CT2.4L16	Ø2.4 mm non-locking screw - L16 mm	1



Distal radius plates - Standard -
Size 1
Left and Right

DTGVS1 DTDVS1

KIT-XS1G or KIT-XS1D* Distal radius kit - Standard - Size 1 - Left or Right		
Ref.	Description	Qty
DTxVS1	Distal radius plate - Standard - Size 1 - Left or right	1
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	2
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	2
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	3
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	2
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1
CT2.4L16	Ø2.4 mm non-locking screw - L16 mm	1



Distal radius plates - Narrow -
Size 2
Left and Right

DTGVN2 DTDVN2


KIT-XN2G or KIT-XN2D* Distal radius kit - Narrow - Size 2 - Left or Right		
Ref.	Description	Qty
DTxVN2	Distal radius plate - Narrow - Size 2 - Left or Right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	2
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	3
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	3
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	2
CT2.4L12	Ø2.4 mm non-locking screw - L12 mm	1
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1



Distal radius plates - Standard -
Size 2
Left and Right

DTGVS2 DTDVS2

KIT-XS2G or KIT-XS2D* Distal radius kit - Standard - Size 2 - Left or Right		
Ref.	Description	Qty
DTxVS2	Distal radius plate - Standard - Size 2 - Left or Right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	1
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	2
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	3
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	2
CT2.4L12	Ø2.4 mm non-locking screw - L12 mm	1
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1




Distal radius plates - Wide -
Size 2
Left and Right

DTGVW2 DTDVW2

KIT-XW2G or KIT-XW2D* Distal radius kit - Wide - Size 2 - Left or Right		
Ref.	Description	Qty
DTxVW2	Distal radius plate - Wide - Size 2 - Left or Right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	1
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	3
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	3
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	2
SDT2.4L24	Ø2.4 mm locking screw - L24 mm	2
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1
CT2.4L16	Ø2.4 mm non-locking screw - L16 mm	1

* Each kit includes only one plate (left or right)
NB : additional sterile screws can be ordered separately (S-Box)


Initial R Xpert™ 2.4 - Kit references



Distal radius plates - Narrow -
Size 3
Left and Right



Distal radius plates - Standard -
Size 3
Left and Right




Distal radius plates - Wide -
Size 3
Left and Right

KIT-XN3G or KIT-XN3D* Distal radius kit - Narrow - Size 3 - Left or Right		
Ref.	Description	Qty
DTxVN3	Distal radius plate - Narrow - Size 3 - Left or Right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	3
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	3
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	3
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	2
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	1
CT2.4L12	Ø2.4 mm non-locking screw - L12 mm	1
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1

KIT-XS3G or KIT-XS3D* Distal radius kit - Standard - Size 3 - Left or Right		
Ref.	Description	Qty
DTxV53	Distal radius plate - Standard - Size 3 - Left or Right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	2
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	2
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	3
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	2
SDT2.4L24	Ø2.4 mm locking screw - L24 mm	1
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1
CT2.4L16	Ø2.4 mm non-locking screw - L16mm	1

KIT-XW3G or KIT-XW3D* Distal radius kit - Wide - Size 3 - Left or Right		
Ref.	Description	Qty
DTxVW3	Distal radius plate - Wide - Size 3 - Left or Right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	1
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	2
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	3
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	3
SDT2.4L24	Ø2.4 mm locking screw - L24 mm	2
CT2.4L14	Ø2.4 mm non-locking screw - L14 mm	1
CT2.4L16	Ø2.4 mm non-locking screw - L16mm	1




Distal radius plates - Standard -
Size 4
Left and Right

KIT-XS4G or KIT-XS4D* Distal radius kit - Standard - Size 4 - Left or Right		
Ref.	Description	Qty
DTxV54	Distal radius plate - Standard - Size 4 - Left or Right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	3
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	3
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	3
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	3
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	2
CT2.4L12	Ø2.4 mm non-locking screw - L12mm	1
CT2.4L14	Ø2.4 mm non-locking screw - L14mm	1
CT2.4L16	Ø2.4 mm non-locking screw - L16mm	1

* Each kit includes only one plate (left or right)
NB: additional sterile screws can be ordered separately (S-Box)

Initial R Xpert™ 2.4 - Kit references



DETGVN1 DETDVN1

Distal radius plates - Volar rim -
Narrow - Size 1
Left and Right



DETVS1 DETDV1

Distal radius plates - Volar rim -
Standard - Size 1
Left and Right



DETXV1 DETDV1

Distal radius plates - Volar rim -
Wide - Size 1
Left and Right

KIT-XEN1G or KIT-XEN1D*		
Distal radius kit - Volar rim - Narrow - Size 1 - Left or Right		
Ref.	Description	Qty
DETXVN1	Extra distal plate for distal radius - Narrow head - Size 1 - Left or right	1
SDT2.4L12	Ø2.4 mm locking screw - L12 mm	2
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	3
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	2
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	1
CT2.4L14	Ø2.4 mm locking screw - L14 mm	1
CT2.4L16	Ø2.4 mm locking screw - L16 mm	1

KIT-XES1G or KIT-XES1D*		
Distal radius kit - Volar rim - Standard - Size 1 - Left or Right		
Ref.	Description	Qty
DETVS1	Distal radius plate - Volar rim - Standard - Size 1 - Left or Right	1
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	2
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	3
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	2
SDT2.4L24	Ø2.4 mm locking screw - L24 mm	1
CT2.4L16	Ø2.4 mm locking screw - L16 mm	1
CT2.4L18	Ø2.4 mm locking screw - L18 mm	1

KIT-XEW1G or KIT-XEW1D*		
Distal radius kit - Volar rim - Wide - Size 1 - Left or Right		
Ref.	Description	Qty
DETXV1	Distal radius plate - Volar rim - Wide - Size 1 - Left or Right	1
SDT2.4L14	Ø2.4 mm locking screw - L14 mm	2
SDT2.4L16	Ø2.4 mm locking screw - L16 mm	2
SDT2.4L18	Ø2.4 mm locking screw - L18 mm	3
SDT2.4L20	Ø2.4 mm locking screw - L20 mm	3
SDT2.4L22	Ø2.4 mm locking screw - L22 mm	2
SDT2.4L24	Ø2.4 mm locking screw - L24 mm	2
CT2.4L16	Ø2.4 mm locking screw - L16 mm	1
CT2.4L18	Ø2.4 mm locking screw - L18 mm	1

* Each kit includes only one plate (left or right)
NB: additional sterile screws can be ordered separately (S-Box)

The information presented in this brochure is intended to demonstrate a Newclip Technics product. Always refer to the package insert, product label and/or user instructions before using any Newclip Technics product. Surgeons must always rely on their own clinical judgment when deciding which products and techniques to use with their patients. Products may not be available in all markets. Product availability is subject to the regulatory or medical practices that govern individual markets. Please contact your Newclip Technics representative if you have questions about the availability of Newclip Technics products in your area.

Manufacturer: Newclip Technics – Compo Kit EN – Initial R Xpert 2.4 – ED6 – 11/2024 - Medical device EC: class IIb – CE1639 SGS BE - US Class: II.
Read labelling and instructions before the use of Newclip Technics medical devices. These products must be handled and/or implanted by trained and qualified staff who have read the instructions before use.

MADE IN FRANCE